



THERA 100



THERA 250

# THERA | 100

Compact, efficient and affordable. This is the perfect solution to fit into narrow areas with no reduction in terms of efficiency. It serves company with small production or niche-product exigences. THERA 100 is the most convenient solution on the market.



• HMI 7" touch screen




• Free loading area  
530mm < area < 820mm


- Top film width: 300 or 400mm
- Bottom film width: 320 or 420 mm
- Index: 200-220-240-260-280-300
- Production capacity:  
Up to 6 cycles/min (die conf. 1.1 - 2.1 - 3.1 - 4.1)  
Up to 3/4 cycles/min (die conf. 1.2 - 2.2 - 3.2 - 4.2)

MACHINE'S LENGTH: 3.500 mm

## TOOL CONFIGURATIONS AVAILABLE



## MACHINE OVERALL DIMENSIONS



	Index					
\	200	220	240	260	280	300
A	690	670	670	750	560	630
B	940	960	960	880	1070	1000

# THERA | 250

Our THERA 250: reduced dimensions with a considerable loading area. Thanks to its high efficiency and competitive price, this model has the best price-to-performance rate. It perfectly suits our customers in need to increase their production. It is available with different packaging technologies in 12 different pack die configurations.



• HMI 7" touch screen




• Free loading area  
1650 mm < area < 1820mm


- Top film width: 300 or 400mm
- Bottom film width: 320 or 420 mm
- Index: 120-180-200-220-240-260-280-300
- Production capacity: Up to 6 cycles/min

MACHINE'S LENGTH: 4.500 mm

## TOOL CONFIGURATIONS AVAILABLE



## MACHINE OVERALL DIMENSIONS




	Index					
\	200	220	240	260	280	300
A	1710	1820	1700	1710	1670	1650
B	925	815	935	925	965	985

ITALIAN SOUL



GLOBAL ATTITUDE



SMALL  
ENOUGH TO LISTEN  
**BIG** ENOUGH  
TO SERVE!



COLIGROUP S.p.A Via del lavoro A, 9 25032  
CHIARI (BS) Italy  
Phone - 39 030 7000761/2/3  
Fax - 39 030 713370  
Email: [info@colimatic.it](mailto:info@colimatic.it) [www.colimatic.com](http://www.colimatic.com)